



D0900934_ELIGO_35_WATT_AIR_COOLED_BEAM_DUMP_AIMING_MIRROR, PART PDM REV: X-000, DRAWING PDM REV: X-001

8 7 6 5 4 3 2 1


NOTES CONTINUED:
Ⓢ BAG ALL ITEMS INDIVIDUALLY AND TAG EACH BAG WITH THE PART NUMBER, REVISION, AND QUANTITY. EXAMPLE: DXXXXXX-VY, QTY: TBD.

REV.	DATE	DCN #	DRAWING TREE #
-	-	-	-
-	-	-	-
-	-	-	-

Ø .500



.06
16GA. MIRROR
304 STAINLESS S





SEE DRAWING D0900901

D
C
B
A

D
C
B
A

8 7 6 5 4 3 2 1

NOTES AND TOLERANCES: (UNLESS OTHERWISE SPECIFIED)	
DIMENSIONS ARE IN INCHES	
TOLERANCES: .XX ± .02 .XXX ± .005 ANGULAR ± 1.0°	
1. INTERPRET DRAWING PER ASME Y14.5-1994. 2. REMOVE ALL SHARP EDGES, R.02 MIN. 3. DO NOT SCALE FROM DRAWING. 4. ALL MACHINING FLUIDS SHALL BE WATER SOLUBLE AND FREE OF SULFUR, CHLORINE AND SILICONE, SUCH AS CINCINNATI MILACRON'S CIMTECH 410.	
MATERIAL	FINISH
AISI 304	N/A μinch

 CALIFORNIA INSTITUTE OF TECHNOLOGY MASSACHUSETTS INSTITUTE OF TECHNOLOGY		PART NAME	
ENHANCED LIGO		ELIGO_35_W_BEAM_DUMP_AIMING_MIRROR	
DESIGNER	KMAILAND	04-20-2009	SIZE DWG. NO.
DRAFTER	KMAILAND	04-20-2009	B D0900934
CHECKER			REV. v1
APPROVAL			SCALE: 8:1 PROJECTION:  SHEET 1 OF 1
NEXT ASSY		D090095/D0900177	