




REV.	DATE	DCN #	DRAWING TREE #
A	19/OCT/06.	E060248	.
B	17/DEC/07	E060248-B	.
H	15/JULY/08	E080368	.



1 - 8 UNC THREAD 1A

NOTES: (UNLESS OTHERWISE SPECIFIED)			CALIFORNIA INSTITUTE OF TECHNOLOGY MASSACHUSETTS INSTITUTE OF TECHNOLOGY IGR, GLASGOW UNIVERSITY GEO 600 GROUP RUTHERFORD APPLINGTON LABORATORIES		
1. REMOVE ALL SHARP EDGES, R.02 MIN. 2. DO NOT SCALE FROM DRAWING. 3. ALL MACHINING FLUIDS SHALL BE WATER SOLUBLE AND FREE OF SULFUR, CHLORINE AND SILICONE, SUCH AS CINCINNATI MILACRON'S CIMTECH 410 (STAINLESS STEEL) 4. SCRIBE, ENGRAVE OR STAMP DRAWING PARTNUMBER ON NOTED SURFACE OF PART AND A THREE DIGIT SERIAL NUMBER. SERIAL NUMBERS START AT 001 FOR THE FIRST PART AND PROCEED CONSECUTIVELY. USE .07" HIGH CHARACTERS. EXAMPLE: D020188- 001. A VIBRATORY TOOL MAY BE USED.	DIMENSIONS ARE IN mm [INCHES]				
	TOLERANCES:				
	X.XX ±0.2 mm		SYSTEM	ADVANCED LIGO	
	ANGULAR ±0.25 °		SUB-SYSTEM	SUS	
MATERIAL: ST. STEEL 304		NEXT ASSY	TOP MASS QUAD N-PTYPE		
FINISH: CLEAN, GREASE FREE		PART NAME	PITCH ADJUSTER		
Ra = 1.6		SIZE	A		
		DRG. NO.	D060405		
		SCALE 1:1	PROJECTION:	SHEET 1 OF 1	
		DRAWN	J O'DELL	19/Oct/06	
		CHECKED	AJB	SMAY08	
		APPROVED	AJB	15/JULY/08	
		NAME	DATE		
		REV	H.		