




REV.	DATE	DCN #	DRAWING TREE #
A	18/OCT/06	E060247	.
B	19/DEC/07	E060247-B	.
H	21/JULY/08	E080371	



ITEM	QTY	SPARE	TOTAL	PART NUMBER	DESCRIPTION	MATERIALS
1	1			D060334	WIRE CLAMP JAW; ALL MASSES	ST STEEL: 304/316
2	2			D060335	RECESSED 1/4" 20 UNC; X 0.75" CAP HEAD	ST STEEL: 304/316
3	1			D060426	UI MASS WIRE CLAMP BODY; .	ST. STEEL: 304/316
4	2				8-32 UNC X 0.5" CAP HEAD; .	ST. STEEL: 316
PARTS LIST						

<p>NOTES: (UNLESS OTHERWISE SPECIFIED)</p> <ol style="list-style-type: none"> REMOVE ALL SHARP EDGES, R.02 MIN. DO NOT SCALE FROM DRAWING. ALL MACHINING FLUIDS SHALL BE WATER SOLUBLE AND FREE OF SULFUR, CHLORINE AND SILICONE, SUCH AS CINCINNATI MILACRON'S CIMTECH 410 (STAINLESS STEEL) SCRIBE, ENGRAVE OR STAMP DRAWING PARTNUMBER ON NOTED SURFACE OF PART AND A THREE DIGIT SERIAL NUMBER. SERIAL NUMBERS START AT 001 FOR THE FIRST PART AND PROCEED CONSECUTIVELY. USE .07" HIGH CHARACTERS. EXAMPLE: D020188- 001. A VIBRATORY TOOL MAY BE USED. 		<p>DIMENSIONS ARE IN mm [INCHES]</p> <p>TOLERANCES:</p> <p>X.XX ± mm</p> <p>ANGULAR ± °</p>		 CALIFORNIA INSTITUTE OF TECHNOLOGY MASSACHUSETTS INSTITUTE OF TECHNOLOGY IGR, GLASGOW UNIVERSITY GEO 600 GROUP RUTHERFORD APPLETON LABORATORIES										
		<p>MATERIAL: AS DRW SEE DRAWINGS</p> <p>FINISH: ----- $\sqrt{\mu m}$ [μin] Ra = SEE DRAWINGS</p> <table border="1"> <thead> <tr> <th></th> <th>NAME</th> <th>DATE</th> </tr> </thead> <tbody> <tr> <td>DRAWN</td> <td>J O'DELL</td> <td>26/JAN/06</td> </tr> <tr> <td>CHECKED</td> <td>AJB</td> <td>11JUNE08</td> </tr> <tr> <td>APPROVED</td> <td>AJB</td> <td>21/JULY/08</td> </tr> </tbody> </table>				NAME	DATE	DRAWN	J O'DELL	26/JAN/06	CHECKED	AJB	11JUNE08	APPROVED
	NAME	DATE												
DRAWN	J O'DELL	26/JAN/06												
CHECKED	AJB	11JUNE08												
APPROVED	AJB	21/JULY/08												
<p>SIZE A DRG. NO. D060422</p>			<p>SCALE 2:1 PROJECTION:  SHEET 1 OF 1</p>	<p>REV H.</p>										