


APPROVED

M. Jellalian 11/10/95
 CBI DATE

J. Jones 11/10/95
 CALTECH DATE



NOTES:

1. TUBE SECTIONS ARE TO BE SUPPORTED FROM TWO POINTS ONLY. SUPPORT POINTS SHALL BE NO LESS THAN 4'-0" FROM THE TUBE END AND NO MORE THAN 7'-0" FROM THE TUBE END.
2. TUBE SECTIONS MUST BE SHIELDED FROM THE SUN WITH WHITE TARPS DURING SHIPMENT. THE TARPS SHALL COMPLETELY COVER THE TUBE SIDES, TOPS, AND ENDS.
3. IN ADDITION TO THE COVERS, ENDS OF THE INDIVIDUALS TUBE SECTIONS SHALL BE PROTECTED AND COVERED.
4. MAXIMUM OVERHANG IS 5'-0".

Date Received: 11/10/95	LIGO- D950048-01-B Contractor #: CBI ER-15, Rev. 1
TIM #:	LIGO-
Date: / /	Approved:
TDM #:	LIGO-
Date: / /	Approved:
Gen'l Transmittal	LIGO-
Date: / /	Approved:

Supplier's/Purchaser's No.	
CBI	
LIGO PROJECT ELEVATION OF TRUCK LOADING FOR UNSTIFFENED TUBE SHIPMENT	
Customer's No.	Contract No.
By <u>DKL</u> Chkd <u> </u> Date 3-23-94	930212
<u>J.L. RINGELSTETTER</u> Engineering Supervisor	Dwg. ER-15 Rev. 1 Sheet - 1
LIGO - D950048-01-B	

CAD FILE 30212015.DGN

▶ INDICATES CHANGE FROM PREVIOUS ISSUE