


NOTES:

1. CLEAR ANODIZE PER MIL-A-8625



0.194 $\phi$  THRU (8) PLC'S

DWG. NO.	DESCRIPTION
6	REFERENCE DRAWINGS

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES		
TOLERANCES: FRACTIONAL $\pm 1/16(.16)$ ANGULAR $\pm 1^\circ$ TWO PLACE DECIMAL $\pm .01(.025)$ THREE PLACE DECIMAL $\pm .005(.013)$	HEAT TREAT: -	FINISH: SEE NOTE 1
MATERIAL: 6061-T6 ALUM	HEAT TREAT: -	FINISH: SEE NOTE 1
USED ON: D970190-00	NEXT ASS'Y: -	

REV	DESCRIPTION	DCC	SYS	DET	CDS	VE	CC	BT	CHECK	DRWN	DATE
B	ADDED NOTE 1									MASON	9/98
A	INITIAL RELEASE									MASON	5/98
00	PRE-RELEASE									MASON	6/97

LIGO CALIFORNIA INSTITUTE OF TECHNOLOGY MASSACHUSETTS INSTITUTE OF TECHNOLOGY	
COVER PLATE SUPPORT STRUCTURE OPTICAL LEVER	
CAD FILE D970195-B.dwg	SIZE DWG. NO. B D970195-B-D
SCALE 1:2	SHEET 1 OF 1