


1. CLEAR ANODIZE PER MIL-A-8625



		UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES													MIT		CALIFORNIA INSTITUTE OF TECHNOLOGY MASSACHUSETTS INSTITUTE OF TECHNOLOGY							
		TOLERANCES: FRACTIONAL $\pm 1/16(.16)$ ANGULAR $\pm 1^\circ$ TWO PLACE DECIMAL $\pm .01(.025)$ THREE PLACE DECIMAL $\pm .005(.013)$		FINISHED SURFACE RMS 63 BREAK CORNERS IN: .02 REMOVE ALL BURRS												LSC MOUNTING PLATE LSC PHOTODIODE ISC TABLE ASSEMBLY								
		MATERIAL: 6061-T6 ALUM.	HEAT TREAT: -	FINISH: -	REV	DESCRIPTION	DCC	SYS	DET	CDS	VE	CC	BT	CHECK	DRWN	DATE	K.MASON	9/1/98	CAD FILE	D980340-B.dwg	SIZE	B	DWG. NO.	D980340-B-D
DVG. NO.		REFERENCE DRAWINGS	USED ON:	-	NEXT ASS'Y:	D980327-A-D											SCALE	FULL	SHEET	1 OF 1				