



REVISIONS			
REV.	DESCRIPTION	DATE	APPROVED



DRILL #7 (0.201) DIA. THRU
TAP 1/4-20 UNC-2B THRU
(4) PLACES

DRILL 9/32 IN. DIA. THRU
C'BORE 13/32 IN. DIA. x 0.27 DEEP
(4) PLACES

DRILL \varnothing 0.50 THRU
(2) PLACES



NOTES:

- BREAK ALL SHARP EDGES
- ANODIZE TYPE 2, CLASS 2 BLACK PENETRATION 0.001, BUILDUP 0.001

QTY REQD	FSCM NO.	PART OR IDENTIFYING NO.	NOMENCLATURE OR DESCRIPTION	MATERIAL SPECIFICATION
PARTS LIST				
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ARE: FRACTIONS DECIMALS ANGLES ± .XX±.01 ± .XXX±.005 .XXXX±.0005		CONTRACT NO.		LIGO Project <i>California Institute of Technology</i> <i>Massachusetts Institute of Technology</i>
MATERIAL 6061-T6		APPROVALS	DATE	
FINISH SEE NOTE 2		DRAWN P. KING 08/24/98		PSL Pre-stabilized Laser 426 TRANSLATION STAGE 9071 TILT STAGE SPACER
NEXT ASSY	USED ON	CHECKED	ISSUED	
APPLICATION		DO NOT SCALE DRAWING		SIZE B FSCM NO. DWG. NO. LIGO-D980673-00-D REV.
SCALE			SHEET 1 of 1	