



NOTES (UNLESS OTHERWISE SPECIFIED)
 ⚠ STEEL, STAMP OR ENGRAVE THE DRAWING PART NUMBER ON NOTED FACE OF PART FOLLOWED BY "S/N", THEN A THREE DIGIT SERIAL NUMBER. SERIAL NUMBERS TO START AT 001 FOR FIRST PART AND PRODUCED IN A CONSECUTIVE MANNER TO A MAXIMUM OF 999, FOR EACH SUCCEEDING PART PRODUCED. USE .013 HIGH CHARACTERS.
 EXAMPLE: D99036-A S/N 001
 ⚠ THIS IS A UNV APPLICATION AND ALL STOCK METAL SURFACES ARE TO BE CLEANED. NO MILL IDENT MARKS OR FORMING DISCOLORATION IS PERMISSIBLE ON FINISHED PART. SCOTCH-BRITE, JITTERBUG, SKIN CUT, TUMBLING OR CAUSTIC ETCH AND "DI" RINSE ARE ACCEPTABLE METHODS OF CLEANING. IN ADDITION, ELECTROPOLISH IS ACCEPTABLE FOR STAINLESS STEEL.



UNLESS OTHERWISE SPECIFIED
DIMENSIONS ARE IN INCHES

TOLERANCES: FRACTIONAL ± 1/64 ANGULAR ± 1/2° TWO PLACE DECIMAL ± .01 THREE PLACE DECIMAL ± .003	INSIDE RADII .06 FINISHED SURFACE RMS BREAK CORNERS .005 TO .015 REMOVE ALL BURRS
MATERIAL: MAKE FROM .50 THICK CAST ALUMINUM TOOLING PLATE	HEAT TREAT: FINISH: ⚠ ⚠
USED ON:	NEXT ASS'Y: D990597, D990616

00	RELEASE	E990036	-	-	-	KABDT	3-10-99
00	PRE-RELEASE	-	-	-	-	A. ROSA	12-19-98
REV	DESCRIPTION	DCN NUMBER	APPR'D	CHECK	DRWN	DATE	

LIGO CALIFORNIA INSTITUTE OF TECHNOLOGY MASSACHUSETTS INSTITUTE OF TECHNOLOGY	
I. O. BAFFLE, LOWER SUPPORT	
CAD FILE lo_mirr3.dwg	DWG. NO. D990570-A
SCALE NTS	SHEET 1 OF 1

DWG. NO.	DESCRIPTION
8	REFERENCE DRAWINGS