



# DOCUMENT CHANGE NOTICE (DCN)

DOCUMENT No. (DOC-REV-GP. ID)	TITLE	NEW REV.
E990035-B-D	Large Optics and COC's Cleaning Procedure	C

CHANGE DESCRIPTION (FROM/TO): Rev. change from B to C

**Corrects:**

1. The document number referenced at top of the document.
2. The procedure to reflect changes made in the fixtures used.

REASON FOR CHANGE: New holding fixture is more reliable.

ACTION:  Incorporate change  Attach DCN to drawing(s)  Other action (specify):

**DISPOSITION OF HARDWARE (IDENTIFY SERIAL NUMBERS)**

- No hardware affected (record change only)
- List S/Ns which comply already:
- List S/Ns to be reworked or scrapped:
- List S/Ns to be built with this change:
- List S/Ns to be retested per this change:
- All future large optics cleaning must follow this procedure that requires the use of the new fixture (D000256-00-W and D000257-00-W)
- 
- 

**DCN DISTRIBUTION (X=Incl. docs)**

Coyne	Barish	Coles
Raab	Lazzarini	Lindquist
Stapfer	Sanders	Shoemaker
Whitcomb	Tyler	Weiss
Sislowicz		

Hazel-Romte, Cook, Weaver,  
Kern, Traylor

SAFETY, COST, SCHEDULE, REQUIREMENTS IMPACT?  No  Yes (If yes, enter Change Request number )

APPROVALS:	DATE	OTHER APPROVALS (specify)	DATE
ORIGINATOR: H. Armandula/B. Weaver	12/15/00		
TASK LEADER: <i>D. Coyne</i>	1/5/01		
GROUP LEADER: <i>[Signature]</i>			
DCC RELEASE: <i>[Signature]</i>	1-8-01		