LASER INTERFEROMETER GRAVITATIONAL WAVE OBSERVATORY

SPECIFICATION

E060273 -A- D
Drawing No Rev. Group

Sheet 1 of 2

Fused Silica Blank, LASTI Compensation Plate

			APPROVALS		
AUTHOR:	CHECKED:	DATE	DCN NO.	REV	DATE
G. Billingsley	D. Coyne, Willems	12-12-06	E060275-00	A	12-12-06

Scope

LIGO

The glass blanks defined by this specification are to be used in research as a LASTI compensation plate. This is not the final configuration for Advanced LIGO compensation.

Applicable Documents

LIGO - D060527-A Fused Silica Blank, LASTI Compensation

Plate

Requirements

Material Fused silica

Physical Configuration

According to

LIGO - D060527-A Fused Silica Blank, Input Test Mass

Clear Aperture

Central 275 mm

Final Shaping

Shaping shall be performed using a progression of grit size

ending with a 320 or smaller grit tool

Defect Depth

Maximum on any surface or corner is less than 0.5 mm

Bubble and Inclusion Cross section

Total \leq 3 mm² /100cm³ of Glass within the clear aperture Inclusions with a diameter of 0.06 mm or less are disregarded

Maximum inclusion diameter

 $\leq 1.5 \text{ mm}$

LASER INTERFERON

${\bf LASER\ INTERFEROMETER\ GRAVITATIONAL\ WAVE\ OBSERVATORY}$

SPECIFICATION

E060273 -A- D

Drawing No Rev. Group

Sheet 2 of 2

Fused Silica Blank, LASTI Compensation Plate

Striae	Class 1, Grade A according to MIL-G-174 within the clear aperture
Inspection	Certification of the above requirements must accompany any delivery.