



LIGO Laboratory / LIGO Scientific Collaboration

LIGO- T030104 -02

ADVANCED LIGO

30th May 30, 2003

Mode Cleaner Controls Prototype Blade Length
Measurements with Deflection & Thickness Measurements
Embedded as an Excel file

Calum I. Torrie, Helena Armadula, Mike Griffin, Mike Plissi

Distribution of this document:
LIGO Science Collaboration
This is an internal working note
of the LIGO Project.

California Institute of Technology
LIGO Project – MS 18-34
1200 E. California Blvd.
Pasadena, CA 91125
Phone (626) 395-2129
Fax (626) 304-9834
E-mail: info@ligo.caltech.edu

Massachusetts Institute of Technology
LIGO Project – NW17-161
175 Albany St
Cambridge, MA 02139
Phone (617) 253-4824
Fax (617) 253-7014
E-mail: info@ligo.mit.edu

LIGO Hanford Observatory
P.O. Box 1970
Mail Stop S9-02
Richland WA 99352
Phone 509-372-8106
Fax 509-372-8137

LIGO Livingston Observatory
P.O. Box 940
Livingston, LA 70754
Phone 225-686-3100
Fax 225-686-7189

<http://www.ligo.caltech.edu/>

Companion Document: - **T030107-00**

Embedded File: - "Bladedeftest.xls"

Revision
Revision: -

02 This time using the correct tool in adobe acrobat
01 Includes Embedded Excel file, "bladedeftest.xls"



1.1 Summary of experiment

2 sets of cantilever blades from 2 different manufacturers were compared. The length, B and height, A was measured, as shown in figure 1 below. The length was measured by clamping one end of the blade and loading the other end with the desired mass measured each blade. All of the measurements were carried out on a Granite Table.




Figure: 1 Sketch showing the length, B and the height, A.

1.2 Results

Blade #	MEASURED		SPECIFICATION		Distance wire breaks		
	A (inches)	B (inches)	Overall Length (inches)	B (mm)	Overall Length (mm)	off the end of the blade (mm)	Clamping Distance (inches)
MODE CLEANER UPPER BLADES, D020201-01							
4S	1.807	10.599	10.58	269.21	268.73	3.0	0.79
5L	1.749	10.569	10.58	268.45	268.73	3.0	0.79
8S	1.823	10.595	10.58	269.11	268.73	3.0	0.79
1L	1.72	10.562	10.58	268.27	268.73	3.0	0.79
MODE CLEANER LOWER BLADES, D020205-01							
6L	0.543	5.087	5.10	129.21	129.54	1.5	0.39
5S	0.556	5.097	5.10	129.46	129.54	1.5	0.39
15S	0.589	5.098	5.10	129.49	129.54	1.5	0.39
16L	0.558	5.088	5.10	129.24	129.54	1.5	0.39

KEY: - LOBART: - L and SUPERIOR JIG: - S

1.3 Conclusions

It can be seen in the results section that the two sets of Superior Jig cantilever blades are very well matched.

1.4 Appendix

Also included in this report is a copy of the Excel sheets that were used to store the information measured by Mike Plissi and Calum Torrie on both sets of blades. This included the unloaded deflection, loaded deflection and thickness measurements.

The file is embedded as an .xls file called “bladefstestMVP.xls” and can be opened by going to File / Document Properties / Embedded Data Objects /.

Mike Plissi summarizes the work done in this Excel sheet in **T030107**.