

7 < 9J FC B 1 J 65:: @95 GG9A 6@M





=€C J=9K fK 9@898 J9FG=€BŁ G99'G<99H&




=€C′J=9K fbC@H98′J9FG€Bž'HMD9′&L G99′G<99H(


7 | G+C A '%'') "7: ž: | @B+DD@9






I G98 K ±k. J Uf]Ub &) \$\$``#g € B DI A D







Coating Definitions

category			d officiál o co
#	color code	name	definition
1	blue	primary coated area	coated area - coating fully compliant with specifications
2	red	secondary coated area	coated area – relaxed specifications – details to be defined
3	green	no requirement	coated, not coated, or partially coated at Acktar's option – no coating requirements
4	yellow	un coated area	area to be free of any Acktar coating




7 < 9J FCB 1 J 65:: @95 GG9A 6@V26C @H98! HMD9%





__&L ``G7 F9K ž'D<ž'%#(!&\$`L `%(´´'@ "`

"&) '8-5"'5@; BA 9BH 8CK 9@D-BG



7 < 9J FCB I J '65:: @9'5 GG9A 6@V2'6C @+98! HMD9'& 6@58979@07CBGHI7HCB lkF95898 8F*=*@98"lkFl <u></u>—&L ′₩(!&\$ H5 D --&L `%#(!&\$`H5D __''L'6@589G G99.6@589.89H5@ : C F 'G+1/9' GD97 G" ┌∅% ''' % [.]6"7 (∅%"+**)** } (∅%"+**)** } *--*∅% "' % [.]6"7 " --'' 6@589G-&L : Ø : "%) - "Hk FI : 5 @@ _ %\$!' & I B : !! &6 "Hk FI : 5 @@ L &L'∅'"&&%"H<FI'5@@ L ∅'""+)'∀'"(-\$ž':G 6@58989+5=@ └── ∅''' +) √") *) žB 95 FG-8 9 **€CC 'J =9K ž'HMD9'&** ‰\$š ", "HMD" G97 HC B ; !; -(L 65:: @96@58979@@ **89+5-@A** G7 5*@*9'%.'% -: FCBHG9H −F 95 F ⁻G9H 6@589GCF=9BH98J9FH75@@M CF (L'%#(!&\$`L'''', G9HG7F9KG -: FCBHG9H 6@589GCF=9BH98</br> %\$!' &`L`&"\$`@ "`G7 F 9K G -F 95 F 'G9H G=89'J=9K f‰") ‴7 : ž: I @@B ĐD@9žBCHG<CKB G=89°J=9K 9LD@C898J=9K f%*") ~7: ž: I @@B ĐD@9žBCHG<CKB F9: 9FHCG<99H%: CF89H5 #@L F9: 9F HC G<99H%: CF 89H5 = @GL f%*") ~7: ž: I @@B ĐD@9žBCHG<CKB :FCBHJ*=*9K F9:9FHCG<99H%:CF89H5≠9GL